BUILDING STRENGTH[™]

CLEAR CURE VOC JINB LOW VOC DISSIPATING RESI

CHEMICAL PRODUCTS

EPOXIES, LIQUIDS AND POWDERS

HANDBOOK









Chemicals are important to the long-term life of concrete. Dayton Superior and Unitex by Dayton Superior have a wide variety of chemical products to help achieve success with all of your concrete projects. From curing compounds for freshly placed concrete, to complete rehabilitation on an existing project, we offer the technology to extend concrete life, lower job costs and to provide a strong return on investment.

DAYTON SUPERIOR LINE

EPOXY PRODUCTS	4
EPOXY CONSTRUCTION ADHESIVES	
EPOXY REPAIR MORTAR KITS	5
EPOXY GROUT	5,6
JOINT FILLER	
REBAR SPRAY / EPOXY PRIMER	······································
EPOXY HEALER/SEALER BRIDGE DECK OVERLAY SYSTEMS	
CRACK INJECTION	1 7
GENERAL REPAIR	
POLYMER FLOOR COATING	
LIQUID PRODUCTS	0
FORM RELEASE AGENTS	
CURING COMPOUNDS	
CURF & SFAL COMPOUNDS	12 13
LIQUID HARDENERS / DENSIFIERS	14-15
SPRAY ADHESIVE BOND BREAKERS — TILT-UP CONSTRUCTION	15
BOND BREAKERS — TILT-UP CONSTRUCTION	15
ACCELERATORS	16
EVAPORATION REDUCERS SURFACE RETARDERS / TOP-CAST® DECORATIVE FINISH SYSTEM	16
SEALERS	
WATER REPELLENTS	10
LATEX BONDING AGENTS / ADMIXTURES	18-19
CLEANERS / STRIPPERS	
POWDER PRODUCTS	
NON SHRINK GROUTS	20.21
CEMENT BASED REPAIR MORTARS	21-23
CEMENT BASED INDUSTRIAL TOPPINGS / HARDENERS	23,24
SELF LEVELING FLOOR LEVELERS	
FLOOR PREP	
TOOLS AND FOLIPMENT	25

UNITEX LINE

EPOXY PRODUCTS	
EPOXY CONSTRUCTION ADHESIVES	
EPOXY REPAIR MORTAR KITS	
EPOXY JOINT FILLER	
EPOXY HEALER/SEALER	
BRIDGE DECK OVERLAY SYSTEMS	28
LIQUID PRODUCTS	29
FORM RELEASE AGENTS	
CURE & SEAL COMPOUNDS	29
SEALERS	
CLEANERS / STRIPPERS	29
POWDER PRODUCTS.	30
NON SHRINK GROUTS	
INDEX	31

TABLE OF CONTENTS







EPOXY PRODUCTS

EPOXY CONSTRUCTION ADHESIVES

ANCHORING GEL / PASTE

Sure Anchor[™] J50

Epoxy Anchoring Gel

Sure Anchor J50 is a two component, 100%-solids, moisture tolerant, high modulus epoxy gel adhesive complying with ASTM C881 and AASHTO M-235.

Sure Anchor[™] I J51

Epoxy Anchoring Gel

Sure Anchor I J51 is two component, moisture tolerant, 100%-solids, high modulus, rapid setting epoxy gel adhesive that meets ASTM C881 and AASHTO M-235. NSF - 61 Approved.

All Weather J51AW

Epoxy Anchoring Gel

All Weather J51 AW is a two component 100% solid, moisture tolerant, all weather epoxy acrylate hybrid anchoring gel complying with ASTM C 881 specification requirements. All Weather J51 AW for application temperatures down to -15°F (-26°C).

ProAnchor Select

Epoxy Anchoring Gel

ProAnchor Select is a two-component, 100% solids high modulus epoxy gel adhesive. Suitable for vertical down, horizontal, upwardly inclined and overhead installations.





ProAnchor Elite

Epoxy Anchoring Gel

ProAnchor Elite is two component, moisture tolerant, 100% solids, high modulus epoxy gel adhesive approved for use in cartridges and in bulk for anchors in a vertical down, horizontal, upwardly inclined and overhead installations, anchoring in cracked and uncracked concrete and internally threaded inserts in un-cracked concrete. Meets requirements of ACI 355.4 and ICC-ES AC308 per IAPMO ER-690.

ProAnchor WeatherMax

Epoxy Anchoring Gel

ProAnchor WeatherMax is a two component high strength, styrene-free, vinylester adhesive anchoring adhesive use for anchoring threaded rod and reinforcing bar in cracked and uncracked concrete. Meets requirements of ACI ACI 355.4 and ICC-ES AC308.





MEDIUM VISCOSITY

Sure Bond[™] J58

Epoxy Adhesive

Sure Bond J58 is a 100%-solids, two component, high modulus, medium viscosity, moisture tolerant structural epoxy adhesive that complies with requirements of ASTM C881 and AASHTO M-235.

Pro-Poxy[™] 204

Epoxy Adhesive

Pro-Poxy 204 is a 100% solids, fast setting, two compenent, high modulus, medium viscosity, moisture tolerant structural epoxy adhesive that meets the requirements of ASTM C881 and AASHTO M-235.

Pro-Poxy[™] P606

Airport Lighting Sealant

Pro-Poxy P606 is a two component, 100%-solids, flexible epoxy sealant. It is ideal for securing wiring and lighting fixtures in roadways and airport runways and taxiways in asphalt and concrete substrates. Pro-Poxy P606 meets the requirements of FAA Specification P-606.



EPOXY REPAIR MORTAR KITS

Rapid Resin Repair

Epoxy Repair Mortar Kit

Rapid Resin Repair is a three component, 100%solids, low modulus, all weather, non-shrinking epoxy/ urethane hybrid concrete repair material. Rapid Resin Repair utilizes 100%-solids epoxy/urethane technology with specialty graded aggregates for achieving rapid turnaround concrete repairs in all weather conditions. Unit consists of three parts: component "A" epoxy resin, component "B" modified amine curing agent, and component "C" specially graded aggregate.

Sure Patch[™]

Epoxy Repair Mortar Kit

Sure Patch is a three component, 100%-solids, low modulus epoxy resin system containing specially selected aggregates. A unit consists of: component "A" epoxy resin, component "B" modified amine curing agent, and component "C" specially graded aggregate.

ProPatch VO

Epoxy Repair Mortar Kit

ProPatch VO is two component, moisture tolerant, high modulus, high strength, structural epoxy paste adhesive available in cartridge and bulk systems. Its specially formulated non-sag properties are perfect for overhead and vertical repairs.ASTM C881-15 / AASHTO M235 Type I, II, IV & V, Grade 3 Class B & C. Acceptable for use in USDA inspected facilities. Withstands freeze thaw conditions per ASTM C666 - Procedure B.

EPOXY GROUT

Epoxy Grout J55

Epoxy Grout

Epoxy Grout J55 is a three component system of blended aggregates and pre-measured 100%-solids, very low exotherm epoxy resin. Place up to a maximum of 8 inches (20.3 cm) deep in a single pour resulting in a 95% bearing area when properly installed.









Pro-Poxy[™] 2000 Deep Pour

Epoxy Grout

The Pro-Poxy 2000 Deep Pour is a matched system of blended aggregates and pre-measured 100% solids epoxy, designed to provide a non-shrink, highperformance, epoxy machine grout for the support of heavy equipment. Place up to 18 inches (45.7 cm) deep in a single pour resulting in a 95% bearing area when properly installed.

ProFill™

Urethane Joint Filler

ProFill is a one-component, elastomeric urethane sealant and filler that creates waterproof joints in horizontal concrete substrates. Semi-self-leveling and exposable to water after 2 hours, ProFill fills expansion joints up to 1.5 in. wide and 0.75 in. deep. *Coming Soon*

ProFill[™] AW

Polyurea Joint Filler

ProFill AW is a two-component polyurea joint filler designed for heavy duty traffic and freezer applications. Solvent-free, flexible, and self-leveling, this low viscosity filler allows for 10-15% joint movement and can be used in temperatures between -40°F to 120°F (-40°C to 49°C). *Coming Soon*

Poxy[™]-Chock

Epoxy Grout

Poxy-Chock is a 100%-solids, VOC compliant two component, high strength, pourable epoxy machine chock. Poxy-Chock is designed to replace steel chocks for maintaining permanent alignment of machinery and equipment. Poxy-Chock exhibits excellent resistance to heavy loading, vibration and chemicals while providing an exceptional degree of high strength and physical properties. Poxy-Chock has excellent flowability where tight tolerances are present.

JOINT FILLER

Sure Fil[™] J52

Epoxy Joint Filler

Sure Fil J52 is a 100%-solids, two component, low shrink, moisture tolerant joint filler and crack repair material. Designed to fill saw cut joints to prevent joint breakdown during load transfers.





REBAR SPRAY/EPOXY PRIMER

Rebar Spray J62

Rebar Coating

Rebar Spray J62 is an epoxy coating packaged in a ready-to-use 11 ounce spray can. Epoxy green.

EPOXY HEALER/SEALER

Bridge Seal 75%

Epoxy Healer/Sealer

Bridge Seal 75% is a highly penetrating, two component epoxy healer/sealer which when applied to cracked bridge decks or elevated concrete, structurally seals the cracks against moisture and chloride ion intrusion.

BRIDGE DECK OVERLAY SYSTEMS Pro-Poxy[™] Type III DOT

The Unitex Pro-Poxy Type III DOT Bridge Deck Overlay is a long-lasting solution in extending the life of new and existing concrete bridge decks by creating a highly durable surface, reducing deterioration rates caused by high traffic and heavy freight loads resulting in decreased maintenance costs over the life of the bridge deck. Pro-Poxy Type III DOT is also available in a low temperature (LT) formulation.

A bridge deck overlay application consists of two coats of an advanced polymer epoxy that quickly develops a high tensile strength to seal, protect and extend the life of bridge decks in both new and restoration construction. This economical and highly effective method blends an epoxy binder that is applied evenly to the bridge deck surface. Aggregate is immediately applied over the binder, increasing the texture depth of the pavement and providing a long-lasting seal to protect the bridge deck from the effects of traffic and harsh weather conditions. In addition, the bridge deck overlay provides increased pavement grip in wet and dry conditions resulting in fewer accidents and more saved lives. Pro-Poxy Type III DOT is also available in a low temperature (LT) formulation.



CRACK INJECTION

ProPoly[™] CR

Polyurethane Crack Repair

ProPoly CR is a two-component, polyurethane hybrid crack repair. Specially designed with a super low viscosity, it is ideal for quick repair of hairline cracks and spalls in concrete. ProPoly CR can be used in temperatures from 0°F to 100°F (-18°C to 43°C). *Coming Soon*

GENERAL REPAIR

Superior Bond-All

Multi-Purpose Repair Epoxy

Superior Bond-All is a multi-purpose, general repair and bonding adhesive ideal for overhead and vertical substrates. Bonds to concrete, wood, brick, and stone with a 3 hour cure time at 75°F. *Coming Soon*

Building Strength[™] |









POLYMER FLOOR COATING

Spec Cote 100

Epoxy Floor Coating

Spec Cote 100 is a 100% solids, two-component epoxy coating used to protect and seal concrete floors, steel and other interior applications. Available in 14 colors, Spec Cote 100 combines excellent wear resistance with a tough high floss appearance that protects concrete from dusting and mild to moderate chemical spills.

Spec Cote 100 Clear

Epoxy Floor Coating

Spec Cote 100 Clear is a 100% solids, two-component, water-clear epoxy coating used to protect and seal concrete floors, steel and other interior applications. Spec Cote 100 Clear combines excellent wear resistance with a tough high-gloss appearance that protects concrete from dusting and mild to moderate chemical spills.



Spec Cote 100 CR

Novolac Epoxy Floor Coating

Spec Cote 100 CR is a 96% solids, two-component novolac epoxy coating used to protect and seal concrete floors requiring a high degree of chemical and abrasion resistance. Available in 3 colors, Spec Cote 100 CR combines excellent chemical and wear resistance with a tough semi-gloss appearance that protects concrete from moderate to harsh chemical spills.

Spec Cote WB

Water-Based Epoxy Floor Coating

Spec Cote WB is a two-component, water-based epoxy coating used to protect and seal concrete floors and other interior applications. Excellent as a stand-alone sealer or a primer for the Spec Cote line, Spec Cote WB offers great color retention in 13 options (plus clear) and a satin gloss appearance that protects concrete from mild to moderate chemical spills.



Spec Cote Urethane

Polyurethane Floor Coating

Spec Core Urethane is a two-component aliphatic polyurethane coating with outstanding resistance to chemicals, abrasion, and weather. Color stable and non-yellowing, Spec Cote Urethane has excellent impact resistance and UV stability for use in interior or exterior applications. Spec Cote Urethane is available in clear and 13 colors, offers a high-gloss finish, and protects concrete from moderate to harsh chemical spills.





What Does "Earth Friendly" (EF) Mean?

- VOC < 100 g/l Meets SCAQMD, OTC, LADCO & CARB. May contribute towards LEED Credits
- Unique to Market Investment in improved chemistries and technologies
- High Performance Contractor Embraced — Designer Trusted

EF Technology Products Can Contribute Toward the Following LEED Credits:

- LEED EQ Credit 3.1: Construction Worker Safety
- LEED EQ Credit 4.2: Low-Emitting Materials
- LEED MR Credit 6: Rapidly Renewable Materials
- LEED MR Credit 5.1: Regional Materials
- LEED MR Credit 5.2: Regional Materials

Products

- Clean Strip[™] J1EF
- Clean Strip[™] J100 VOC
- Cure & Seal 1315 EF
- Cure & Seal 309 EF
- Ultra Seal EF™
- Clear Cure VOC J7WB Earth Friendly products are indicated with this symbol.



LIQUID PRODUCTS

FORM RELEASE AGENTS

OIL BASED

<u>Clean Strip[™] J1A</u>

Form Release

Clean Strip J1A is a low VOC, ready-to-use, petroleum based, chemically reactive concrete form release that effectively prevents bonding of concrete to forms and formliners. Special note: Available in a Winter Grade - cold weather formula to increase sprayability and application rates.

<u>Clean Strip[™] J2</u>

Form Release

Clean Strip J2 is a ready-to-use, petroleum based, chemically reactive liquid concrete form release agent. Clean Strip J2 effectively prevents bonding of concrete to forms and formliners. Regular use of Clean Strip J2 will increase the life of all forms. Special note: **Available in a Winter Grade - cold weather formula to increase sprayability and application rates.**

<u>Clean Strip[™] Ultra J3</u>

Form Release

Clean Strip Ultra J3 is a premium, low odor, ready-touse, low VOC, chemically reactive form release ideal for architectural and precast concrete and for general forming applications. Clean Strip Ultra J3 works to ensure clean, positive release of plywood, fiberglass, aluminum, steel and other concrete forming materials. Clean Strip Ultra J3 prolongs the life of plywood forms, and reduces rusting of steel forms. Clean Strip Ultra J3 is non-staining, reduces the number of surface air voids (bugholes) and will not interfere with the adhesion of subsequent coatings.

Clean Strip[™] J100 VOC

Earth Friendly Form Release Clean Strip J100 VOC is VOC compliant in all

areas of the U.S. It is ready-to-use, petroleum based, chemically reactive concrete form release that effectively prevents bonding of concrete to forms and formliners. Regular use will increase the life of all forms. Formulated for less than100 g/l environmental regulations. Complies with SCAQMD, OTC, LADCO & CARB requirements.

Building Strength[™]







Magic Kote®

Form Release

Magic Kote is a low VOC, ready-to-use, petroleum based, chemically neutral, diesel free concrete form release. Magic Kote is water insoluble and contains no waxes. Magic Kote effectively prevents bonding of concrete to forms and formliners. Regular use of Magic Kote will increase the life of all forms.

Pure Pro Zero



Form Release

Pure Pro Zero is a zero VOC, readily biodegradable, chemically reactive form release agent that works to release hardened concrete from steel, aluminum, plywood, and composition forms. Usable in cold temperatures and highly VOC regulated areas, Pure Pro Zero combines performance and convenience to minimize surface dusting and extend the life of forms.

WATER BASED Clean Strip[™] J1EF

Earth Friendly Form Release

Clean Strip J1EF is an economical low VOC, concrete form release agent. Clean Strip J1EF works to ensure clean, positive release on plywood, fiberglass, aluminum,



steel, urethane and other concrete forming materials and form liners. This product acts as a barrier to the adhesion of concrete while minimizing surface dusting. Properly applied, Clean Strip J1EF will not stain concrete or interfere with the adhesion of coatings. Clean Strip J1EF is compliant with all US VOC regulations for Concrete Form Release agents including Federal EPA, OTC, LADCO, SCAQMD & CARB. Certified to NSF/ ANSI Standard 61. Tested to CDPH V1.2.

CURING COMPOUNDS

RESIN BASED White Resin Cure J10W

Concrete Curing Compound

A water-based, resin, liquid membrane forming curing compound for freshly finished concrete. White Resin Cure J10W is white pigmented to reflect the heat of the sun. Complies with ASTM C309.

Clear Cure VOC J7WB

Earth Friendly Concrete Curing Compound Clear Cure VOC J7WB is a VOC compliant, water based clear resin dissipating curing compound. It contains <100 g/L VOC's making it compliant in all areas of the United



States & Canada. Clear Cure VOC J7WB may contribute to LEED credits. It provides excellent curing properties for newly placed concrete and is easier to remove than most curing membranes. Complies with ASTM C309. Certified to NSF/ANSI Standard 61. Tested to CDPH V1.2.





Suggestions for form releases include, but are not limited to:

- Forms need to be clean and dry before application. Rust and dirt will transfer to the concrete surface.
- All new non-coated plywood should be treated with a lime-water solution prior to its first use in forming. This solution will neutralize the naturally occurring wood sugars in the plywood surface.
- Apply form releases only during dry weather.
- Apply with low pressure spray using a wide angle, low flow, flat fan-type spray nozzle.
- All new wood forms require a heavy application of form release prior to their first use. This application should be heavy enough to saturate the wood forms. Multiple coats of form release are often necessary to accomplish this saturation, and we recommend waiting at least 5 to 6 hours between coats.
- On smooth, dense form surfaces, like steel or aluminum, the best performance will be achieved by spraying the form release uniformly and wiping down the form surfaces with a clean soft cloth.
- Do not over-apply. Over-application can result in concrete "dusting", "bug holes" and other surface defects.
- Do not apply petroleum-based form releases to polystyrene form surfaces.
- Avoid over spraying onto reinforced steel it may act as a bondbreaker on reinforcing steel.





Form Release is Field-Proven Alcoa Concrete Construction steadily poured over 1,500 foundations in the Philadephia tri-state area each year with their Steel-Ply[®] forms. With more than 100 years of combined experience, owners Duarte, Frank and Armando Alexender know that form release not only affects the finish of the wall, but the life of the forming systems they own.

Duarte Alexender stated, "We base our form release purchases on two criteria: we need a release that provides us with a clean strip and suitable finish, plus we want to minimize buildup and maximize the lifespan of our forming equipment."

After trying a variety of form releases, Alcoa Concrete Construction decided that they like the results they get from using Magic Kote on jobs utilizing the Steel-Ply. Duarte reports, "With Magic Kote, we can achieve success with both criteria."

Details of Magic Kote[®] Form Release are found on page 13 of this handbook.



Building Strength[™]



Clear Resin Cure J11W

Concrete Curing Compound



Clear Resin Cure J11W is an all resin, dissipating waterbased curing compound. Complies with ASTM C309. Tested to CDPH V1.2.

Resin Cure with Dye J11WD

Concrete Curing Compound

Resin Cure with Dye J11WD is an all resin, dissipating water-based curing compound containing a fugitive dye. Complies with ASTM C309.

WAX BASED

City White Cure J8

Concrete Curing Compound

City White Cure J8 is an economical, VOC compliant, water-based, white pigmented concrete curing compound.

White Wax Cure J9A

Concrete Curing Compound

A water-based, wax, liquid membrane forming curing compound for freshly finished concrete. White Wax Cure J9A is white pigmented to reflect the heat of the sun. Complies with ASTM C309.

White Wax Cure CRD300

Concrete Curing Compound

A high solids, white pigmented, water based wax concrete curing compound formulated to retain moisture in freshly finished concrete. The selected white pigments reflect the hear of the sun, keeping the concrete surface cooler. White Wax Cure CRD300 is a membrane forming wax based material that seals the necessary moisture for proper cement hydration. Complies with ASTM C309 and CRD-300.



OTHER CURING AID

Cure Hard J14

Curing Aid and Hardener

Cure Hard J14 is a ready-to-use, water-based general-purpose curing aid designed to help ensure proper concrete strength development. Cure Hard J14 will not interfere with future flooring adhesives, coatings, treatments or flooring materials. NSF/ ANSI 61 Certified.

CURE & SEAL COMPOUNDS

SOLVENT BASED Cure & Seal LV 25% J20UV

Solvent Based Cure & Seal

Cure & Seal LV 25% J20UV is an acrylic copolymer cure, seal and dust-proofing compound in an aromatic solvent containing 25% solids. Designed for ease of application and better atomization when spraying in a wide temperature range from 35°F to 90°F (2°C to 32°C). Cure & Seal LV 25% J20UV is ultraviolet stable and resists yellowing. The higher acrylic solids content forms an excellent surface coating with a high gloss finish that provides an outstanding cure performance. Complies with ASTM C1315 and ASTM C309.

Cure & Seal 25% J22UV

Solvent Based Cure & Seal

Cure & Seal 25% J22UV is an acrylic copolymer cure, seal and dust-proofing compound in an aromatic solvent containing 25% solids with special UV stabilizers. The higher acrylic solids content will form an excellent surface coating with a high gloss finish and will provide an outstanding cure performance. Cure & Seal 25% J22UV is ultraviolet light stable and resists yellowing. Complies with ASTM C1315 and ASTM C309.

Cure & Seal 25% J20LVOC

Low VOC Cure & Seal

Cure & Seal 25% J20LVOC is an acrylic copolymer cure, seal and dust-proofing compound in VOC exempt solvent containing 25% solids. It meets both ASTM C309 and C1315 as an outstanding curing compound and excellent surface sealer. J20LVOC is compliant in all areas, excluding SCAQMD. Less than 350 g/L VOCs.





Cure & Seal 30% J23UV

Solvent Based Cure & Seal

Cure & Seal 30% J23UV is an 30% solids acrylic copolymer cure, seal and dust-proofing compound in an aromatic solvent containing special UV stabilizers. The higher acrylic solids content will form an excellent surface coating with a high gloss finish and will provide an outstanding cure performance. Complies with ASTM C1315.

Cure & Seal 30% J23LVOC

Low VOC Cure & Seal

Cure & Seal 30% J23LVOC is an acrylic copolymer cure, seal and dust-proofing compound in VOC exempt solvent containing 30% solids. It meets both ASTM C309 and C1315 as an outstanding curing compound and excellent surface sealer. J23LVOC is compliant in all areas, excluding SCAQMD. Less than 350 g/L VOCs.

KC White Acrylic 25%

Solvent Based Cure & Seal

KC White Acrylic 25% is a white pigmented acrylic copolymer cure, seal and dustproofing compound in an aromatic solvent containing 25% solids. Complies with ASTM C1315.

WATER BASED Cure & Seal 309 J18

Water Based Cure & Seal

Cure & Seal 309 J18 is a water based acrylic copolymer that offers a combination curing, sealing and dust-proofing for freshly finished concrete surfaces. This product dries to produce a non-yellowing, durable, clear film on concrete. Formulated for interior applications. Non-flammable and free of noxious fumes. Complies with ASTM C309.

Cure & Seal 1315 J22WB

Water Based Cure & Seal

Cure & Seal 1315 J22WB is a water based acrylic copolymer containing 25% solids that offers outstanding curing, sealing and dust-proofing for freshly finished concrete surfaces. The high solids content will form a long-lasting surface membrane with a high gloss finish that will provide excellent cure performance. Provides a non-yellowing, durable, clear film on concrete. Formulated for interior applications. Non-flammable and free of noxious fumes. Complies with ASTM C1315.

WATER BASED/EARTH FRIENDLY

Cure & Seal 309 EF

Earth Friendly Cure & Seal

Cure & Seal 309 EF is an Earth Friendly (EF) non-yellowing acrylic copolymer curing and sealing compound that may contribute to LEED Credits. The Cure &



Seal 309 EF formula is low odor and contains VOC <100 g/L, making it compliant in all areas. Cure & Seal 309 EF cures, seals and dustproofs freshly finished concrete surfaces. Complies with ASTM C309. Tested to CDPH V1.2.

Cure & Seal 1315 EF

Earth Friendly Cure & Seal Cure & Seal 1315 EF is an Earth Friendly (EF) non-yellowing 30% solids acrylic copolymer curing and sealing compound that may contribute to LEED Credits. The



Cure & Seal 1315 EF formula is low odor and contains VOC <100 g/L, making it VOC compliant in all areas. Cure & Seal 1315 EF cures, seals and dustproofs freshly finished concrete surfaces. Complies with ASTM C1315. Tested to CDPH V1.2.



Building Strength[™]





LIQUID HARDENERS / DENSIFIERS

Densifier Concentrate J12

Liquid Densifier for Concrete

A concentrate solution of sodium orthosilicate with a fugitive dye. Mix with water for an economical concrete hardener and dust-proofing compound.

Densifier J13

Liquid Densifier for Concrete

Densifier J13 is a ready-to-use, water based solution of sodium orthosilicate that reacts with the free lime in the concrete to provide a chemically hardened surface. NSF/ANSI 61 Certified.

Cure Hard J14


Curing Aid and Hardener

Cure Hard J14 is a ready-to-use, water-based general-purpose curing aid designed to help ensure proper concrete strength development. Cure Hard J14 will not interfere with future flooring adhesives, coatings, treatments or flooring materials. NSF/ANSI 61 Certified.

PENTRA-HARD® Densifier

Lithium Concrete Hardener for Concrete

PENTRA-HARD Densifier is advanced lithium chemistry that hardens and dust-proofs new and existing concrete. This easy-to-use water-based solution requires no rinsing and is VOC compliant in all areas of the world. When sprayed on new or existing concrete, it penetrates into the concrete, where it reacts with free calcium to form insoluble calcium silica hydrate, which makes concrete more water, stain, and abrasion resistant for easier maintenance and longer life. It is also suitable for concrete polishing procedures and helps prolong the life of polished finishes.



PENTRA-HARD® Guard

High Performance Finish, Stain and Wear Protector PENTRA-HARD Guard is a high performance finish that adds shine, stain resistance and abrasion resistance to concrete. Effective on all concrete and cement containing floors, this water-based, lithium-fortified material cures quickly to form a clear, extremely hard, micro-coating that protects the substrate, even in demanding industrial and commercial environments. This new chemistry makes concrete surfaces more attractive and easier to maintain, and eliminates the need for waxes, polishes, and acrylics. Best results and coverage will be obtained by densifying the surface with PENTRA-HARD Densifier before applying Pentra-Hard Guard.

PENTRA-HARD® Finish

High Gloss Stain and Finish

PENTRA-HARD Finish is a patented, high-gloss, stain and wear resistant finish for improving the sheen, hardness and chemical resistance of conventional concrete, hardened concrete and/or cement based floors. This waterbased, lithium fortified (chemical polish) quickly dries to a clear, extremely hard, microcoating that tenaciously bonds and reacts with the substrate forming an insoluble bond with



the surface. Formulated using Nano-Lithium[®] reactive silicon hybrid polymer technology for extreme gloss, rapid shine development and excellent wear properties, this novel treatment eliminates the need for floor waxes, liquid polishes and conventional resin based coatings. Best results and coverage will be obtained by densifying the surface with PENTRA-HARD Densifier before applying PENTRA-HARD Finish.

PENTRA-HARD® is a trademark of Advanced Concrete Technologies (AD-VAN) and sub-licensed exclusively to DAYTON-SUPERIOR and Convergent Concrete Technologies LLC (CONVERGENT). All rights reserved. Products manufactured and marketed by DAYTON SUPERIOR are protected by U.S. patents and/or pending patents under license rights granted by ADVANCED CONCRETE TECHNOLOGIES, LLC; other patents pending.

REV 06/21





Sure Hard[™] Densifier J17

Liquid Densifier for Concrete

Sure Hard Densifier J17 is a water based, colorless, odorless solution of specialized reactive chemicals that penetrate concrete surfaces to seal, densify and harden the freshly placed or existing concrete. Sure Hard Densifier J17 is VOC compliant in every area of the country and environmentally safe to use.

SPRAY ADHESIVE

GluDown Adhesive

Construction Adhesive

A spray adhesive designed for bonding most construction related materials.



ACA-1000

Construction Adhesive

For use in any general concrete constuction application including tilt-up, cast-in-place formwork, precast, structural, and masonry. ACA-1000 can aslo be used with the Dayton Superior Tilt Bracket Forming System as a supplemental bonding agent. California compliant version is also available.

BOND BREAKERS - TILT-UP CONSTRUCTION

SOLVENT BASED

Sure Lift[™] with Dye J6D

Bond Breaker

Sure Lift with Dye J6D is a reactive and membrane forming bond breaker for use in tilt wall construction. Sure Lift with Dye J6D is a special formula of polymers and propriety ingredients designed to provide clean, easy lifting of tilt panels. Sure Lift with Dye J6D has a fugitive dye for ease of visual inspection during application and is also available without the dye upon special request. Complies with ASTM C309 curing standard when applied to a steel troweled concrete substrate.

HIGH STRENGTH, FAST DRYING WATER BASED **Sure Lift™ J6WB**

Water-Based Bond Breaker

Sure Lift J6WB is a liquid, VOC compliant, water-based, reactive and membrane forming bond breaker for use in tilt wall construction. Sure Lift J6WB is a special formula of polymers and propriety ingredients designed to provide clean, easy lifting of tilt panel. Complies with ASTM C309 curing standard when applied to a steel troweled concrete substrate. Approved for use in all 50 states and Canada.

Maxi Tilt[™] with Dye

Water-Based Bond Breaker

Maxi Tilt with Dye is a VOC compliant, water-based, reactive and membrane forming bond breaker for use in tilt wall construction. Maxi Tilt with Dye is a special formula of polymers and propriety ingredients designed to provide clean, easy lifting of tilt panels. Maxi Tilt with Dye has a fugitive dye for ease of visual inspection during application. Complies with ASTM C309 curing standard when applied to a steel troweled concrete substrate. Approved for use in all 50 states and Canada.







ACCELERATORS

<u>C-Set</u>

Accelerating Admixture

C-Set is an accelerating admixture for mortar, stucco and concrete. It quickens the hydration of cement resulting in shorter setting times and higher early strengths. C-Set provides improved workability, helps prevent segregation and is a substantial aid in early stiffening for mortar and stucco mixes. It is an aqueous solution of organic and inorganic compounds that produces a rapid heat development of the mortar that helps to protect it from freezing during its early life at low temperatures. VOC compliant.

Q-Set

Non Chloride, Non-Corrosive, Accelerating Admixture

Q-Set is a non-corrosive accelerating admixture which contains no calcium chloride. It quickens the hydration of cement resulting in shorter setting times and high early strength. Q-Set provides improved workability, helps decrease segregation and is a substantial aid in early stiffening for mortar and stucco mixes. It is an aqueous solution of organic and inorganic compounds that produces a rapid heat development of the mortar that protects it from freezing during its early life at low temperatures. VOC compliant.

EVAPORATION REDUCERS

AquaFilm[™] Concentrate J74

Evaporation Retardant

16

AquaFilm Concentrate J74 is a proprietary emulsion of unique organic compounds designed to minimize moisture loss from fresh concrete. AquaFilm Concentrate J74 is economical as a concentrate and is diluted with potable water at a 9 to 1 ratio. As a water based polymer, AquaFilm Concentrate J74 is VOC compliant and contains a blue fugitive dye for ease of visual inspection during application.

TOP-CAST[®] DECORATIVE FINISH SYSTEM

TOP-CAST® SURFACE RETARDER

Surface Retarder

A water-based, top-surface retarder formulated to produce beautiful exposed aggregate substrates. It is available in twelve depths of etch, each one color and number coded for safety and convenience. No plastic protection or covering required to achieve quality results.

TOP-CAST[®] SS-100 SITE SAVER

Surface Protectant

An innovative surface protectant designed to keep splatter, color, cementitious toppings, cures and retarder overspray from adhering to the surfaces surrounding a concrete placing and finishing operation.

TOP-CAST[®] EX-200 WASH-OFF EXTENDER Extender

A surface retarder extender designed to extend the removal time of Top-Cast® Surface Retarder by several hours depending on jobsite conditions. It is applied after Top-Cast Surface Retarder is completely dried and removed when the surface retarder is removed.

TOP-CAST[®] PR-300 PENETRATING PROTECTOR

Surface Protectant

Water-based penetrating protector that hardens and dustproofs exposed aggregate, providing water, stain, and abrasion resistance for easier maintenance and a longer life. It is applied after Top-Cast Surface Retarder is removed.

TOP-CAST[®] CS-400 CURE AND SEAL

Curing & Sealing Compound

Water-based, non-yellowing cure and seal compound that meets ASTM C309. It is designed to cure, seal, and dustproof exposed aggregate concrete while adding an attractive semi-gloss finish.

TOP-CAST[®] HG-500 HIGH GLOSS SEALER

Sealing Compound

Water-based, non-yellowing concrete sealer designed to seal, protect and add an attractive high-gloss finish to exposed aggregate concrete.

Top-Cast is a trademark of GCP Applied Technologies. All rights reserved.



AquaFilm[™] J74RTU

Evaporation Retardant

AquaFilm J74RTU is a ready-to-use proprietary emulsion of unique organic compounds designed to minimize moisture loss from freshly placed concrete. As a water based polymer, AquaFilm J74RTU is VOC compliant and contains a yellow fugitive dye for ease of visual inspection during application.

SEALERS

SOLVENT BASED

AggreGloss[™] J25

Concrete Sealer

Aggregloss J25 is a UV stable, non-yellowing formulation of 25% solids methacrylate copolymers in an aromatic solvent. Aggregloss J25 forms a tenacious bond to the concrete surface and provides a long lasting, high gloss film.

AggreGloss[™] J25LVOC

Low VOC Concrete Sealer

AggreGloss J25LVOC is a non-yellowing, acrylic concrete sealer designed with advanced and VOC compliant solvents to meet the most stringent VOC requirements. J25LVOC bonds to the surface and provides a hard, long-lasting glossy protective film that brings out the radiance and luster of natural aggregate. Ideal for decorative concrete applications. Less than 100 g/L VOCs.

AggreGloss[™] Satin J25S

Concrete Sealer

AggreGloss Satin J25S is a UV stable, non-yellowing formulation of 25% solids methacrylate copolymers in an aromatic solvent. AggreGloss Satin J25S forms a tenacious bond to the concrete surface and provides a long lasting, low gloss, protective satin film.

AggreGloss[™] J25LVOC Satin

Low VOC Concrete Sealer

AggreGloss J25LVOC Satin is a non-yellowing, acrylic concrete sealer designed with advanced and VOC compliant solvents to meet the most stringent VOC requirements. Bonds to the concrete surface and provides a hard, long-lasting satin protective film. Less than 100 g/L VOCs.

Anti Spall J33

Concrete Sealer

A uniform blend of mineral spirits and boiled linseed oil used for protecting exterior concrete. Anti Spall J33 has a light amber color.

<u>Tuf Seal[™] J35</u>

Concrete Sealer

Tuf Seal J35 is a clear, nonyellowing sealer comprised of methyl methacrylate polymers. Tuf Seal develops a durable, high gloss finish that not only protects, but also beautifies concrete floors. Tuf Seal J35 provides resistance to oils, grease and gasoline. Protects concrete from excessive outdoor weathering conditions.

Tuf Seal[™] J35LVOC

Low VOC Concrete Sealer

Tuf Seal J35LVOC is a non-yellowing, acrylic sealer for exterior surfaces. Designed with advanced and VOC compliant solvents, J35LVOC protects and emphasizes the natural luster of natural aggregates, providing a long-lasting and durable glossy finish. Less than 100 g/L VOCs.

Tuf Seal[™] Satin J35S

Concrete Sealer

Tuf Seal Satin J35S is a scientifically formulated clear, non-yellowing sealer comprised of methyl methacrylate polymers. It dries to a durable, satin finish that not only protects, but also beautifies floors. Tuf Seal Satin J35S provides resistance to most oil and gas solutions. Protects concrete from excessive outdoor weathering conditions.

Building Strength[™] |





Tuf Seal[™] J35LVOC Satin

Low VOC Concrete Sealer

Tuf Seal J35LVOC Satin is a non-yellowing, acrylic sealer for exterior surfaces. Designed with advanced and VOC compliant solvents, J35LVOC protects and emphasizes natural aggregates, providing a long-lasting and durable satin finish. Less than 100 g/L VOCs.

WATER BASED / EARTH FRIENDLY Ultra Seal EF

Earth Friendly Concrete Sealer Ultra Seal EF is an Earth



Friendly (EF) acrylic, non-yellowing concrete sealer that may contribute to LEED Credits. It is low odor and contains VOC < 100 g/L, it is VOC compliant in all areas. Designed to seal, protect and add an attractive gloss to existing concrete and decorative concrete surfaces, Ultra Seal EF is blush resistant and has good resistance to common chemicals such as motor oil, antifreeze, vinegar and bleach. Tested to CDPH V1.2.

EPOXY BASED <u>Pro-Poxy[™] High Gloss Sealer</u>

Healer/Sealer

Pro-Poxy High Gloss Sealer is a two component, moisture insensitive, self-priming, high gloss clear epoxy sealer.

WATER REPELLENTS

WATER BASED Weather Worker[™] 10% J26WB

Water Repellent

18

Weather Worker 10% J26WB is a water based emulsion of siloxane that penetrates into concrete or masonry surfaces to provide long term weatherproofing protection. J26WB Protects Numerous Types of Structures: Cast-In-Place Concrete Precast and Prestressed Concrete Exposed Aggregate Concrete Porous and Dense Brick Concrete Stucco Sandstone and Limestone.



SOLVENT BASED Weather Worker[™] 40% J29

Water Repellent

Weather Worker 40% J29 is a proprietary 40% silane that penetrates into concrete or masonry and provides long term weatherproofing protection.

Weather Worker[™] 100% J29A

Water Repellent

Weather Worker[™] 100% J29A is a proprietary 100% silane that penetrates into concrete or masonry and provides long term weatherproofing protection.

ANTI-SLIP ADDITIVE

Grip Aid

Anti Šlip Additive

Grip Aid is a very fine anti-slip powder that adds texture to most clear or colored sealers.

LATEX BONDING AGENTS/ADMIXTURES

Acrylic Bonding Agent J40

Bonding Agent

A ready-to-use, non-re-emulsifiable acrylic admixture and bonding agent designed to improve the adhesion and durability of concrete, masonry, terrazzo and portland cement-sand mixes to horizontal and vertical concrete and other surfaces.



PVA Bonding Agent J41

Bonding Agent

PVA Bonding Agent J41 is a concentrated re-emulsifiable / rewettable polyvinyl acetate (PVA) emulsion for use as a bonding agent for application on concrete, cement board or masonry prior to installing patches, mortars, stucco and plaster.

Level Primer J42RTU

Bonding Agent

Level Primer J42RTU is a ready-to-use re-emulsifiable primer designed to be used with Levelayer, Econolevel and Level Topping self leveling underlayments.

Level Primer J42

Bonding Agent

Level Primer J42 is a concentrated re-emulsifiable primer designed to be used with the Levelayer, Econolevel and Level Topping self leveling underlayments.

CLEANERS / STRIPPERS

Citrus Cleaner J48

Concrete Cleaner and Stripper

Citrus Cleaner J48 is a heavy duty concrete stripper and degreaser used for general cleaning and removal of curing compounds from concrete floors.

Green Bean Clean®

Concrete Cleaner and Stripper

Green Bean Clean is an industrial strength bio-based gel stripper made from renewable resources.

Dissolve It

Concrete Remover

A chemically active liquid formulated to remove concrete buildup from concrete forms, tools, mixers, hardware, shoring, ready-mix trucks, aluminum forms and post-tension rods. Dissolve It is a viable option to the damaging effects of sandblasting, chipping or hammering concrete from equipment.

ZERO VOC J49 Cleaner

Zero VOC Concrete Cleaner and Stripper

A zero VOC concrete stripper that is used for the removal of curing compounds, cure and seal compounds, sealers, oils, grease and rubber tire marks from concrete floors. Easy water clean up.



Building Strength[™] |





POWDER PRODUCTS

NON SHRINK GROUTS

CEMENT BASED 1107 Advantage Grout[™]

Cement Based Grout

1107 Advantage Grout is a non-shrink, non-corrosive, non-metallic cementitious grout. 1107 Advantage Grout is designed to provide a controlled, positive expansion to ensure an excellent bearing area. 1107 Advantage Grout can be mixed from a fluid to a stiff plastic consistency. Meets ASTM C1107 and CRD-C 621.

Dri Pak Precast Grout

Cement Based Grout

Dri Pak Precast Grout is a non-shrink, non-corrosive, non-metallic cementitious grout. Dri Pak Precast Grout is designed to provide a controlled, positive expansion to ensure an excellent bearing area. Dri Pak Precast Grout can be mixed from a stiff to a flowable consistency.

Sure-Grip® High Performance Grout

Cement Based Grout

Sure-Grip High Performance Grout is a non-shrink, non-corrosive, non-metallic cementitious grout designed to provide a controlled, positive expansion and to ensure an excellent bearing area. Sure-Grip High Performance Grout can be mixed in a flowable and fluid consistency. Certified to NSF/ANSI Standard 61. Meets ASTM C1107 and CRD-C 621.

Sure-Grip® Precision Grout

Cement Based Grout

20

Sure-Grip Precision Grout is a non-shrink, noncorrosive, non-metallic cementitious grout. Sure-Grip Precision Grout is designed to provide a controlled, positive expansion to ensure an excellent bearing area and can be mixed from a fluid to a stiff plastic consistency. Sure-Grip Precision Grout does not utilize or produce gaseous expansion for height change characteristics. Meets ASTM C1107 and CRD-C 621.

Turbo Grout HP® 12

Cement Based Grout

Turbo Grout HP 12 is a non-shrink, non-corrosive, non-metallic cementitious grout. Turbo Grout HP 12 is designed to provide a controlled, positive expansion to ensure an excellent bearing area and can be mixed from a plastic consistency to a flowable consistency. Turbo Grout HP 12 develops 12,000 -14,000 psi (82.7 - 96.6 MPa) in 28 days. Meets ASTM C1107 and CRD-C 621.



Turbo Grout® LT 12

Cement Based Grout

Turbo Grout LT 12 is a non-shrink, non-corrosive, non-metallic cementitious grout. Turbo Grout LT 12 is designed for use in cooler temperatures to provide faster set times and quicker strength gain than normal cement based non-shrink grouts. Turbo Grout LT 12 develops 14,000 psi in 28 days even at temperatures as low as 35°F. Meets the requirements of ASTM C-1107 placed at 35 to 40°F (1.7 – 4.4°C) @ flowable consistency.







Underwater Grout

Cement Based Grout

A non-shrink cementitious grout designed to resist "wash-out" in underwater or tidal zone grouting applications. Underwater Grout is a specific blend of Portland Cement, specially graded aggregates and admixtures to impart controlled expansion and exceptional cohesiveness for maximum flowability and strength.

Sleeve-Lock® Grout

Non-Shrink Grout

Sleeve-Lock Grout is a specially formulated cement based, non-metallic, non-shrink grout designed for the grouting of the Dayton Superior D410 Sleeve-Lock[®] Grout Sleeve. Meets ASTM C1107 and CRD-C 621.

CEMENT BASED REPAIR MORTARS

HORIZONTAL, VERTICAL AND OVERHEAD <u>Polyfast[™] FS</u>

Repair Mortar

Polyfast FS is a is shrinkage compensated, high strength mortar containing portland cement, special polymers and additives to provide an outstanding strength gain along with a fast set. Polyfast FS is a single component trowelable material formulated for vertical, overhead and horizontal repairs.

Recrete[™] 5 Minute

Repair Mortar

Recrete 5 Minute is a general purpose cement based concrete repair and patching material. Recrete 5 Minute is specially formulated to provide a very fast setting repair mortar with excellent workability. Recrete 5 Minute can be used for repair and patching of vertical, overhead and horizontal areas subject to light traffic both interior and exterior.

Recrete[™] 20 Minute

Repair Mortar

Recrete 20 Minute is a general purpose cement based concrete repair and patching material. Recrete 20 Minute is specially formulated to provide a fast setting repair mortar with excellent workability. Recrete 20 Minute can be used for repair and patching of vertical, overhead and horizontal areas subject to light traffic both interior and exterior.

Recrete[™] Light 20 Minute

Repair Mortar

Recrete Light 20 Minute is a general purpose cement based concrete repair and patching material that dries to a light gray color. It is specially formulated to provide a fast setting repair mortar with excellent workability. Recrete Light 20 Minute can be used for repair and patching of vertical, overhead and horizontal areas subject to light interior and exterior traffic.





Building Strength[™] |





HORIZONTAL

<u>HD 50</u>

Horizontal Repair Mortar

HD 50 is a fast setting, cement based, fiber reinforced, latex-modified, heavy duty, single component concrete repair material requiring only the addition of water. HD 50 develops high early strength gain and meets the demanding requirements of most US Departments of Transportation specifications.

Pave Patch 3000

Horizontal Repair Mortar

Pave Patch 3000 is a fast setting, cement based, heavy duty, single component concrete repair material requiring only the addition of water. Pave Patch 3000 develops high early strength gain and meets the demanding requirements of most US Departments of Transportation specifications.

DOT Rapid Repair Neat/ Pre-Extended

Horizontal Repair Mortar

DOT Rapid Repair is a rapid-setting, high-strength, polymer-modified hydraulic cement mortar for horizontal concrete repair. It is designed for the repair of heavy duty surfaces and meets ASTM C928. Available as a neat mortar or pre-extended with coarse aggregate.

Special Patch®

Horizontal Repair Mortar

Special Patch is a two component polymer-modified, cementitious, concrete repair mortar for use in thin and thick section concrete patching and overlays. Special Patch is ideal for repairing interior warehouse slabs or exterior concrete pavements.



Thin Resurfacer

Horizontal Repair Mortar

Thin Resurfacer is a multi-purpose single component repair and resurfacing product designed for use inside or outside in thicknesses ranging from feather edge up to ½ inch (1.3 cm). A polymer modified cement based material that can be placed with a trowel and requires only the addition of water, Thin Resurfacer sets faster than normal concrete and will accept foot traffic in approximately 6–7 hours.

VERTICAL / OVERHEAD Architectural Finish[™]

Rubbing and Sacking Repair Mortar

Architectural Finish is a single component, cement based material specially formulated for rubbing, smoothing, repairing and restoring vertical or overhead concrete surfaces.

Civil/Structural VO

Vertical/Overhead Repair Mortar

Civil/Structural VO is a cement based mortar designed for structural repairs of vertical or overhead concrete substrates. It is enhanced with a corrosion inhibitor for rebar and steel protection and is especially formulated for use in spray applied applications using wet spray process equipment. Civil/Structural VO has excellent finishing characteristics making it very user friendly to screed and finish. Due to its superb workability, it may also be applied by trowel or hand.

22



HD 25 VO

Vertical/Overhead Repair Mortar

HD 25 VO is a high strength mortar containing portland cement, special polymers and accelerators to provide an accelerated early strength gain and set time. It is a single component, fiber enhanced trowelable material formulated for vertical and overhead repairs of concrete.

Perma Patch[™] VO

Vertical/Overhead Repair Mortar

Perma Patch VO is a single component, cement based, patching and repair mortar developed for vertical and overhead applications. Perma Patch VO's unique rapid setting, shrinkage compensating formulation offers excellent durability and ease of application without the use of forms.

CEMENT BASED FORM AND POUR Civil/Structural FPX

Form and Pour Extended Repair Mortar

Single component, shrinkage compensated Portland-Cement based concrete repair material containing blended coarse aggregate. Civil/Structural FPX is enhanced with a corrosion inhibitor for rebar and steel protection and is designed primarily for large volume placements including structural elements, typically in applications from 1 inch (2.54 cm) to 12 inches (30.48 cm).

Perma Patch[™] FP

Form and Pour Extended Repair Mortar

Perma Patch FP is a specially designed patching and structural repair mortar formulated for maintenance and new construction projects where prolonged working time up to 40 minutes and fast strength in 2-3 hours is required.





SPECIALTY REPAIRS Anchor All

Anchoring Cement

A fast-setting, non-shrink anchoring cement with controlled expansion. Pourable and fast setting, Anchor All provides a durable high strength anchor for interior and exterior applications.

Waterstop[™]

Hydraulic Cement Repair Mortar

Waterstop is a non-corrosive, non-rusting, extremely fast setting hydraulic cement compound for plugging and stopping active water leaks in concrete structures or masonry surfaces. When mixed with water to a thick consistency and hand formed into a plug, it will stop active leaks even under water.

CEMENT BASED INDUSTRIAL TOPPINGS / HARDENERS

Emery Tuff[™]

Emery Dry-Shake Floor Hardener

Emery Tuff is a ready-to-use shake-on floor hardener comprised of a blend of 100% pure emery, special additives and portland cement. Emery Tuff is a material that is extremely hard, tough and abrasion resistant. It will impart very long life and extremely high durability to concrete surfaces. Emery Tuff is completely non corrosive and rust free and can be used inside or outside. Emery Tuff offers a superior alternative to metallic floor hardeners.





Emery Non-Slip[™]

Non-Slip Emery aggregate for Floors and Pavements

Emery Non-Slip is a non slip aggregate comprised of 100% pure emery. Emery is a natural occurring mined material that is tough and abrasion resistant. It will impart long life and excellent slip resistance for concrete surfaces. Emery Non-Slip is completely non corrosive and rust free, for inside and outside use.

Emery Tuff[™] Top

Emery Floor Topping

Emery Tuff Top is a ready-to-use floor topping comprised of a blend of 100% pure emery/corundum, special additives and portland cement. Emery is a natural, mined material that is extremely hard, tough and abrasion resistant. It will impart very long life and extremely high durability to concrete floors and surfaces. Emery Tuff Top is non corrosive, rust free and can be used indoors or out. Emery Tuff Top requires only the addition of water to produce a low slump, trowelable consistency.





Ferro Tuff[™]

Metallic Dry-Shake Floor Hardener

Ferro Tuff is a ready-to-use metallic floor hardener comprised of clean and well graded iron aggregates, special additives and portland cement. It provides greater impact resistance than other types of dry shake hardeners. Ferro Tuff is available in a natural concrete color.

Quartz Tuff[™]

Non-Metallic Dry-Shake Floor Hardener

Quartz Tuff is a ready-to-use, non metallic aggregate, dry shake floor hardener comprised of carefully graded quartz aggregates, special additives and portland cement. Proper installation of Quartz Tuff will impart long life and high durability to interior and exterior concrete floors. Quartz Tuff is available in a natural gray concrete color and light reflective.

SELF LEVELING FLOOR LEVELERS

EconoLevel[™]

Floor Underlayment

EconoLevel is a cement based, non-shrink, selfleveling interior floor underlayment that only requires the addition of water to produce a flowable mixture that can be easily placed or pumped onto the floor. EconoLevel is not a gypsum based product. Prime the concrete surface with Dayton Superior's J42 or J42RTU prior to application.



POWDERS / TOOLS & EQUIPMENTS



LeveLayer[®]

Floor Underlayment

Dayton Superior LeveLayer is a cement based, nonshrink, self-leveling floor underlayment designed for interior use. It provides a smooth subfloor formulated to accept floor coverings in as little as 14 hours after installation. LeveLayer is not a gypsum based product. Prime the concrete surface with Dayton Superior's J42 or J42RTU prior to application.

Level Topping[™]

Floor Topping

Level Topping is Dayton Superior's premium cement based, non-shrinking, self-leveling interior floor topping designed as a wearing surface. It only requires the addition of water to produce a free flowing mixture that can be poured or pumped. Level Topping is not a gypsum based product.

Level Topping[™] Exterior

Floor Topping

Level Topping Exterior is a premium cement based, non-shrink, self-leveling topping designed for leveling horizontal concrete. It only requires the addition of water to produce a free flowing mixture that can be poured or pumped onto the floor. Level Topping is not a gypsum based product

FLOOR PREP

Sure Finish[™]

Floor Underlayment

Dayton Superior Sure Finish is a trowel applied, highly polymer modified, cement based, rapid setting underlayment. It produces a smooth, true "feather finish" to a wide variety of substrates, including wood, concrete, ceramic and existing resilient flooring. Sure Finish can also be used indoors to repair damaged concrete wall surfaces and on exterior concrete walls that are to be coated.

TOOLS AND EQUIPMENT

Spray-Pro

Spray Pumps That Simply Work... Every Time A comprehensive solution to cost effectively apply our Earth Friendly (EF) Family of High Performance Chemicals.

Underlayment Tools

For Underlayments, Toppings and Decorative Products

The Flooring Materials Tool Kit consists of all the tools necessary to mix and install self-leveling underlayments and toppings. The kit can also be used for decorative concrete jobs as well. Professional Flooring Installers who know the importance of having the right tools to successfully complete the job were instrumental in designing Dayton Superior's Flooring Materials Tool Kit.







25



EPOXY PRODUCTS

EPOXY CONSTRUCTION ADHESIVES

ANCHORING GEL / PASTE

Pro-Poxy[™] 300

Epoxy Anchoring Gel

Pro-Poxy 300 is a two component, 100%-solids, moisture tolerant, high modulus epoxy gel adhesive complying with ASTM C881 and AASHTO M-235.

Pro-Poxy[™] 300 Fast

Epoxy Anchoring Gel

Pro-Poxy 300 Fast is two component, moisture tolerant, 100%-solids, high modulus, rapid setting epoxy gel adhesive that meets ASTM C881 and AASHTO M-235. NSF - 61 Approved.

Pro-Poxy[™] 400

Epoxy Anchoring Gel

Pro-Poxy 400 is a two component 100% solid, moisture tolerant, all weather epoxy acrylate hybrid anchoring gel complying with ASTM C 881 specification requirements. All Weather J51 AW for application temperatures down to -15°F (-26°C).





MEDIUM VISCOSITY Pro-Poxy[™] 200

Epoxy Adhesive

Pro-Poxy 200 is a 100%-solids, two component, high modulus, medium viscosity, moisture tolerant structural epoxy adhesive that complies with requirements of ASTM C881 and AASHTO M-235.

Pro-Poxy[™] 204

Epoxy Adhesive

Pro-Poxy 204 is a 100% solids, fast setting, two compenent, high modulus, medium viscosity, moisture tolerant structural epoxy adhesive that meets the requirements of ASTM C881 and AASHTO M-235.

Slow Set Bonding Agent

Epoxy Adhesive

Slow Set Bonding Agent is a 100%-solids, two component, high modulus, medium viscosity, moisture tolerant, long open time structural epoxy adhesive complying with the requirements of ASTM C881 and AASHTO M-235.

Pro-Poxy[™] P606

Airport Lighting Sealant

Pro-Poxy P606 is a two component, 100%-solids, flexible epoxy sealant. It is ideal for securing wiring and lighting fixtures in roadways and airport runways and taxiways in asphalt and concrete substrates. Pro-Poxy P606 meets the requirements of FAA Specification P-606.



INJECTION RESIN

Pro-Poxy[™] 100

Epoxy Injection Resin

Pro-Poxy 100 is a 100%-solids, high modulus, moisture tolerant, low viscosity epoxy adhesive for gravity feed or pressure injection of cracks in concrete. Sure Inject J56 complies with the requirements of ASTM C881 and AASHTO M-235.

Pro-Poxy[™] 50

Epoxy Injection Resin

Pro-Poxy 50 is the super low viscosity version of Pro-Poxy 100. (see previous entry) Complies with the requirements of NSF/ANSI Standard 61 by WQA.

EPOXY REPAIR MORTAR KITS

Pro-Poxy[™] AWP

Epoxy Repair Mortar Kit

Pro-Poxy AWP is a three component, 100%-solids, low modulus, all weather, non-shrinking epoxy/urethane hybrid concrete repair material. Pro Poxy AWP utilizes 100%-solids epoxy/urethane technology with specialty graded aggregates for achieving rapid turnaround concrete repairs in all weather conditions. Unit consists of three parts: component "A" epoxy resin, component "B" modified amine curing agent, and component "C" specially graded aggregate.

Pro-Poxy[™] 2500

Epoxy Repair Mortar Kit

Pro-Poxy 2500 is a three component, 100%-solids, low modulus epoxy resin system containing specially selected aggregates. A unit consists of: component "A" epoxy resin, component "B" modified amine curing agent, and component "C" specially graded aggregate.

<u>Pro-Poxy[™] 2000</u>

Epoxy Grout

Pro-Poxy 2000 is a three component system of blended aggregates and pre-measured 100%-solids, very low exotherm epoxy resin. Place up to a maximum of 8 inches (20.3 cm) deep in a single pour resulting in a 95% bearing area when properly installed.



Pro-Poxy[™] 2000 Deep Pour

Epoxy Grout

The Pro-Poxy 2000 Deep Pour is a matched system of blended aggregates and pre-measured 100% solids epoxy, designed to provide a non-shrink, high-performance, epoxy machine grout for the support of heavy equipment. Place up to 18 inches (45.7 cm) deep in a single pour resulting in a 95% bearing area when properly installed.

EPOXY JOINT FILLER

Pro-Flex

Epoxy Joint Filler

Pro-Flex is a 100%-solids, two component, low shrink, moisture tolerant joint filler and crack repair material. Designed to fill saw cut joints to prevent joint breakdown during load transfers.



Building Strength[™]





EPOXY HEALER/SEALER

Pro-Poxy[™] 40 LV/LM

Epoxy Sealer

Pro-Poxy 40 LV/LM is a 100%-solids, low modulus, highly penetrating, epoxy polymer. Pro-Poxy 40 LV/LM, when applied to cracked concrete, seals the cracks against the intrusion of chlorides and moisture, protecting the concrete from degradation and the corrosion of steel reinforcements. Pro-Poxy 40 LV/LM is designed to prolong the life of concrete in even the most severe climates. Applications include bridge decks and elevated slabs.

BRIDGE DECK OVERLAY SYSTEMS

Pro-Poxy[™] Type III DOT The Unitex Pro-Poxy Type III DOT Bridge Deck Overlay is a long-lasting solution in extending the life of new and existing concrete bridge decks by creating a highly durable surface, reducing deterioration rates caused by high traffic and heavy freight loads resulting in decreased maintenance costs over the life of the bridge deck.Pro-Poxy Type III DOT is also available in a low temperature (LT) formulation.



A bridge deck overlay application consists of two coats of an advanced polymer epoxy that quickly develops a high tensile strength to seal, protect and extend the life of bridge decks in both new and restoration construction. This economical and highly effective method blends an epoxy binder that is applied evenly to the bridge deck surface. Aggregate is immediately applied over the binder, increasing the texture depth of the pavement and providing a long-lasting seal to protect the bridge deck from the effects of traffic and harsh weather conditions. In addition, the bridge deck overlay provides increased pavement grip in wet and dry conditions resulting in fewer accidents and more saved lives. Pro-Poxy Type III DOT is also available in a low temperature (LT) formulation.



28



LIQUID PRODUCTS

FORM RELEASE AGENTS

OIL BASED

Q2® V.O.C. Form Release

Q2 VOC is a low VOC, ready-to-use, petroleum based, chemically reactive concrete form release that effectively prevents bonding of concrete to forms and formliners. Special note: Available in a Winter Grade - cold weather formula to increase sprayability and application rates.

Q2®

Form Release

Q2 is a ready-to-use, petroleum based, chemically reactive liquid concrete form release agent. Q2 effectively prevents bonding of concrete to forms and formliners. Regular use of Q2 will increase the life of all forms.

WATER BASED/EARTH FRIENDLY

Farm Fresh[™] XL

Earth Friendly Form Release

Farm Fresh XL is an economical low VOC, concrete form release agent. Farm Fresh XL works to ensure clean, positive release



on plywood, fiberglass, aluminum, steel, urethane and other concrete forming materials and form liners. This product acts as a barrier to the adhesion of concrete while minimizing surface dusting. Properly applied, Farm Fresh XL will not stain concrete or interfere with the adhesion of coatings. Farm Fresh XL is compliant with all US VOC regulations for Concrete Form Release agents including Federal EPA, OTC, LADCO, SCAQMD & CARB. Certified to NSF/ANSI Standard 61.



CURE & SEAL COMPOUNDS

SOLVENT BASED

Solvent Seal 1315

Solvent Based Cure & Seal

Solvent Seal 1315 is an acrylic copolymer cure, seal and dust-proofing compound in an aromatic solvent containing 25% solids with special UV stabilizers. The higher acrylic solids content will form an excellent surface coating with a high gloss finish and will provide an outstanding cure performance. Solvent Seal 1315 is ultraviolet light stable and resists yellowing. Complies with ASTM C1315 and ASTM C309.

WATER BASED

Hydroseal[™] 18

Water Based Cure & Seal

Hydroseal 18 is a water based acrylic copolymer that offers a combination curing, sealing and dust-proofing for freshly finished concrete surfaces. This product dries to produce a non-yellowing, durable, clear film on concrete. Formulated for interior applications. Non-flammable and free of noxious fumes. Complies with ASTM C309.

SEALERS

SOLVENT BASED

Bright Rock Sealer

Concrete Sealer

Bright Rock Sealer is a UV stable, non-yellowing formulation of 25% solids methacrylate copolymers in an aromatic solvent. Bright Rock Sealer forms a tenacious bond to the concrete surface and provides a long lasting protective high gloss film. Ideal for decorative concrete applications.

EPOXY BASED Pro-Poxy[™] High Gloss Sealer

Healer/Sealer

Pro-Poxy High Gloss Sealer is a two component, moisture insensitive, self-priming, high gloss clear epoxy sealer.

CLEANERS / STRIPPERS

Citrus Cleaner

Concrete Cleaner and Stripper

Citrus Cleaner is a heavy duty concrete stripper and degreaser used for general cleaning and removal of curing compounds from concrete floors.





POWDER PRODUCTS

NON SHRINK GROUTS

CEMENT BASED

Multipurpose Grout

Cement Based Grout


Multipurpose Grout is a non-shrink, non-corrosive, non-metallic cementitious grout. Multipurpose Grout is designed to provide a controlled, positive expansion to ensure an excellent bearing area. Multipurpose Grout can be mixed from a fluid to a stiff plastic consistency. Meets ASTM C1107 and CRD-C 621.

SPECIALTY REPAIRS Hydraulic Cement[™]

Hydraulic Cement Repair Mortar

Hydraulic Cement is a non-corrosive, non-rusting, extremely fast setting hydraulic cement compound for plugging and stopping active water leaks in concrete structures or masonry surfaces. When mixed with water to a thick consistency and hand formed into a plug, it will stop active leaks even under water.







DSC PRODUCT INDEX

309 EF
1107 ADVANTAGE GROUT
1315 EF
ACA-1000
ACRYLIC BONDING AGENT J40
AGGREGLOSS J25
Addiredeuss 323
AGGREGLOSS J25LVOC
AGGREGLOSS J25LVOC SATIN
AGGREGLOSS JZ5LVOC SATIN
AGGREGLOSS SATIN J25S
AGGINEGEUSS SATIN JEJS
ALL WEATHER J51AW
ANCHOR ALL
ANTI SPALL J3317
ANTI SFALL JJJ
AQUAFILM CONCENTRATE J7416
AQUAFILM J74RTU
ARCHITECTURAL FINISH
BRIDGE SEAL 75%7
CITRUS CLEANER J4819
CITY WHITE CURE J8
CIVIL/STRUCTURAL FPX22
CIVIL/STRUCTURAL VO
CIVIL/ JINUCIUNAL VU
CLEAN STRIP J1A9 CLEAN STRIP J1EF10
CLEAN STRIP JIEF
CLEAN STRIP J2
CELAN OTNI JZ
CLEAN STRIP J100 VOC
CLEAN STRIP ULTRA J3
CLEAN STRIP ULTRA J3
CLEAR CURE VOC J7WB10
CLEAR RESIN CURE J11W12
CRD30012
C-SET
CURE HARD J14
CURE & SEAL 25% J20LVOC
CURE & SEAL 25% J22UV12
CURE & SEAL 30% H23KVIC 13
CURE & SEAL 30% H23KVIC 13
CURE & SEAL 30% H23KVIC13 CURE & SEAL 30% J23UV13
CURE & SEAL 30% H23KVIC
CURE & SEAL 30% H23KVIC
CURE & SEAL 30% H23KVIC
CURE & SEAL 30% H23KVIC 13 CURE & SEAL 30% J23UV 13 CURE & SEAL 309 JF 13 CURE & SEAL 309 J18 13 CURE & SEAL 315 EF 13
CURE & SEAL 30% H23KVIC 13 CURE & SEAL 30% J23UV 13 CURE & SEAL 309 JF 13 CURE & SEAL 309 J18 13 CURE & SEAL 315 EF 13
CURE & SEAL 30% H23KVIC 13 CURE & SEAL 30% J23UV 13 CURE & SEAL 309 EF 13 CURE & SEAL 309 I8 13 CURE & SEAL 315 EF 13 CURE & SEAL 1315 J22WB 13
CURE & SEAL 30% H23KVIC 13 CURE & SEAL 30% J23UV 13 CURE & SEAL 309 FF 13 CURE & SEAL 309 J18 13 CURE & SEAL 1315 EF 13 CURE & SEAL 1315 J22WB 13
CURE & SEAL 30% H23KVIC 13 CURE & SEAL 30% J23UV 13 CURE & SEAL 309 FF 13 CURE & SEAL 309 J18 13 CURE & SEAL 1315 EF 13 CURE & SEAL 1315 J22WB 13
CURE & SEAL 30% H23KVIC 13 CURE & SEAL 30% J23UV 13 CURE & SEAL 309 EF 13 CURE & SEAL 309 J18 13 CURE & SEAL 1315 EF 13 CURE & SEAL 1315 J22WB 13 CURE & SEAL LV 25% J20UV 12 DENSIFIER CONCENTRATE J12 14
CURE & SEAL 30% H23KVIC 13 CURE & SEAL 30% J23UV 13 CURE & SEAL 309 EF 13 CURE & SEAL 309 J18 13 CURE & SEAL 1315 EF 13 CURE & SEAL 1315 J22WB 13 CURE & SEAL LV 25% J20UV 12 DENSIFIER CONCENTRATE J12 14
CURE & SEAL 30% H23KVIC 13 CURE & SEAL 30% J23UV 13 CURE & SEAL 309 EF 13 CURE & SEAL 309 J18 13 CURE & SEAL 309 J18 13 CURE & SEAL 1315 EF 13 CURE & SEAL 1315 J22WB 13 CURE & SEAL LV 25% J20UV 12 DENSIFIER CONCENTRATE J12 14 DENSIFIER J13 14
CURE & SEAL 30% H23KVIC 13 CURE & SEAL 30% J23UV 13 CURE & SEAL 309 JF 13 CURE & SEAL 309 J18 13 CURE & SEAL 1315 EF 13 CURE & SEAL 1315 J22WB 13 CURE & SEAL LV 25% J20UV 12 DENSIFIER CONCENTRATE J12 14 DENSIFIER J13 14 DENSIFIER J13 14
CURE & SEAL 30% H23KVIC 13 CURE & SEAL 30% J23UV 13 CURE & SEAL 309 JF 13 CURE & SEAL 309 J18 13 CURE & SEAL 1315 EF 13 CURE & SEAL 1315 J22WB 13 CURE & SEAL LV 25% J20UV 12 DENSIFIER CONCENTRATE J12 14 DENSIFIER J13 14 DENSIFIER J13 14
CURE & SEAL 30% H23KVIC 13 CURE & SEAL 30% J23UV 13 CURE & SEAL 309 JF 13 CURE & SEAL 309 J18 13 CURE & SEAL 1315 EF 13 CURE & SEAL 1315 J22WB 13 CURE & SEAL LV 25% J20UV 12 DENSIFIER CONCENTRATE J12 14 DENSIFIER J13 14 DENSIFIER J13 14
CURE & SEAL 30% H23KVIC 13 CURE & SEAL 30% J23UV 13 CURE & SEAL 309 JF 13 CURE & SEAL 309 J18 13 CURE & SEAL 1315 EF 13 CURE & SEAL 1315 J22WB 13 CURE & SEAL LV 25% J20UV 12 DENSIFIER CONCENTRATE J12 14 DENSIFIER J13 14 DENSIFIER J13 14
CURE & SEAL 30% H23KVIC 13 CURE & SEAL 30% J23UV 13 CURE & SEAL 309 JF 13 CURE & SEAL 309 JF 13 CURE & SEAL 1315 EF 13 CURE & SEAL 1315 J22WB 13 CURE & SEAL LV 25% J20UV 12 DENSIFIER CONCENTRATE J12 14 DISSOLVE IT 19 DOT RAPID REPAIR NEAT/PRE-EXTEND 22 DRI PAK PRECAST GROUT 19
CURE & SEAL 30% H23KVIC 13 CURE & SEAL 30% J23UV 13 CURE & SEAL 309 JF 13 CURE & SEAL 309 J18 13 CURE & SEAL 1315 EF 13 CURE & SEAL 1315 J22WB 13 CURE & SEAL LV 25% J20UV 12 DENSIFIER CONCENTRATE J12 14 DENSIFIER J13 14 DENSIFIER J13 14
CURE & SEAL 30% H23KVIC 13 CURE & SEAL 30% J23UV 13 CURE & SEAL 309 JE 13 CURE & SEAL 309 JE 13 CURE & SEAL 309 JE 13 CURE & SEAL 1315 EF 13 CURE & SEAL 1315 J22WB 13 CURE & SEAL LV 25% J20UV 12 DENSIFIER CONCENTRATE J12 14 DISSOLVE IT 19 DOT RAPID REPAIR NEAT/PRE-EXTEND 22 DRI PAK PRECAST GROUT 19 EARTH FRIENDLY 9
CURE & SEAL 30% H23KVIC 13 CURE & SEAL 30% J23UV 13 CURE & SEAL 309 JF 13 CURE & SEAL 309 J18 13 CURE & SEAL 1315 EF 13 CURE & SEAL 1315 J22WB 13 CURE & SEAL 1315 J22WB 13 CURE & SEAL 12 25% J20UV 12 DENSIFIER J13 14 DISSOLVE IT 19 DOT RAPID REPAIR NEAT/PRE-EXTEND 22 DRI PAK PRECAST GROUT 19 ECANOLEVEL 24
CURE & SEAL 30% H23KVIC 13 CURE & SEAL 30% J23UV 13 CURE & SEAL 309 JF 13 CURE & SEAL 309 J18 13 CURE & SEAL 1315 EF 13 CURE & SEAL 1315 J22WB 13 CURE & SEAL 1315 J22WB 13 CURE & SEAL 12 25% J20UV 12 DENSIFIER J13 14 DISSOLVE IT 19 DOT RAPID REPAIR NEAT/PRE-EXTEND 22 DRI PAK PRECAST GROUT 19 ECANOLEVEL 24
CURE & SEAL 30% H23KVIC 13 CURE & SEAL 30% J23UV 13 CURE & SEAL 309 JF 13 CURE & SEAL 309 J18 13 CURE & SEAL 1315 EF 13 CURE & SEAL 1315 J22WB 13 CURE & SEAL 1315 J22WB 13 CURE & SEAL 12 25% J20UV 12 DENSIFIER J13 14 DISSOLVE IT 19 DOT RAPID REPAIR NEAT/PRE-EXTEND 22 DRI PAK PRECAST GROUT 19 ECANOLEVEL 24
CURE & SEAL 30% H23KVIC 13 CURE & SEAL 30% J23UV 13 CURE & SEAL 309 JF 13 CURE & SEAL 309 J18 13 CURE & SEAL 309 J18 13 CURE & SEAL 1315 EF 13 CURE & SEAL 1315 J22WB 13 CURE & SEAL 1315 J22WB 13 CURE & SEAL LV 25% J20UV 12 DENSIFIER CONCENTRATE J12 14 DENSIFIER J13 14 DISSOLVE IT 19 DOT RAPID REPAIR NEAT/PRE-EXTEND 22 DRI PAK PRECAST GROUT 19 EARTH FRIENDLY 9 ECONOLEVEL 24 EMERY NON-SLIP 24 EMERY TUFF 23
CURE & SEAL 30% H23KVIC 13 CURE & SEAL 30% J23UV 13 CURE & SEAL 309 JF 13 CURE & SEAL 309 J18 13 CURE & SEAL 309 J18 13 CURE & SEAL 1315 EF 13 CURE & SEAL 1315 J22WB 13 CURE & SEAL 1315 J22WB 13 CURE & SEAL LV 25% J20UV 12 DENSIFIER CONCENTRATE J12 14 DENSIFIER J13 14 DISSOLVE IT 19 DOT RAPID REPAIR NEAT/PRE-EXTEND 22 DRI PAK PRECAST GROUT 19 EARTH FRIENDLY 9 ECONOLEVEL 24 EMERY NON-SLIP 24 EMERY TUFF 23
CURE & SEAL 30% H23KVIC 13 CURE & SEAL 30% J23UV 13 CURE & SEAL 309 JF 13 CURE & SEAL 309 JF 13 CURE & SEAL 309 JF 13 CURE & SEAL 1315 EF 13 CURE & SEAL 1315 J22WB 13 CURE & SEAL 1315 J22WB 13 CURE & SEAL LV 25% J20UV 12 DENSIFIER CONCENTRATE J12 14 DISSOLVE IT 19 DOT RAPID REPAIR NEAT/PRE-EXTEND 22 DRI PAK PRECAST GROUT 19 EARTH FRIENDLY 9 ECONOLEVEL 24 EMERY NON-SLIP 24 EMERY TUFF 23 FMERY TUFF 24
CURE & SEAL 30% H23KVIC 13 CURE & SEAL 30% J23UV 13 CURE & SEAL 309 JF 13 CURE & SEAL 309 JF 13 CURE & SEAL 309 JF 13 CURE & SEAL 1315 EF 13 CURE & SEAL 1315 J22WB 13 CURE & SEAL 1315 J22WB 13 CURE & SEAL LV 25% J20UV 12 DENSIFIER CONCENTRATE J12 14 DISSOLVE IT 19 DOT RAPID REPAIR NEAT/PRE-EXTEND 22 DRI PAK PRECAST GROUT 19 EARTH FRIENDLY 9 ECONOLEVEL 24 EMERY NON-SLIP 24 EMERY TUFF 23 FMERY TUFF 24
CURE & SEAL 30% H23KVIC 13 CURE & SEAL 30% J23UV 13 CURE & SEAL 309 JF 13 CURE & SEAL 309 JF 13 CURE & SEAL 309 JF 13 CURE & SEAL 1315 EF 13 CURE & SEAL 1315 J22WB 13 CURE & SEAL 1315 J22WB 13 CURE & SEAL LV 25% J20UV 12 DENSIFIER CONCENTRATE J12 14 DISSOLVE IT 19 DOT RAPID REPAIR NEAT/PRE-EXTEND 22 DRI PAK PRECAST GROUT 19 EARTH FRIENDLY 9 ECONOLEVEL 24 EMERY TUFF 23 EMERY TUFF 24 EMERY TUFF 24
CURE & SEAL 30% H23KVIC 13 CURE & SEAL 30% J23UV 13 CURE & SEAL 309 JF 13 CURE & SEAL 1315 EF 13 CURE & SEAL 1315 J22WB 13 CURE & SEAL LV 25% J20UV 12 DENSIFIER CONCENTRATE J12 14 DISSOLVE IT 19 DOT RAPID REPAIR NEAT/PRE-EXTEND 22 DRI PAK PRECAST GROUT 19 EARTH FRIENDLY 9 ECONOLEVEL 24 EMERY TUFF 23 EMERY TUFF TOP 24 EMERY TUFF TOP 24 EMERY TUFF 5 FERRO TUFF. 24
CURE & SEAL 30% H23KVIC 13 CURE & SEAL 30% J23UV 13 CURE & SEAL 309 JF 13 CURE & SEAL 309 JF 13 CURE & SEAL 309 JF 13 CURE & SEAL 1315 EF 13 CURE & SEAL 1315 J22WB 13 CURE & SEAL 1315 J22WB 13 CURE & SEAL LV 25% J20UV 12 DENSIFIER CONCENTRATE J12 14 DISSOLVE IT 19 DOT RAPID REPAIR NEAT/PRE-EXTEND 22 DRI PAK PRECAST GROUT 19 EARTH FRIENDLY 9 ECONOLEVEL 24 EMERY TUFF 23 EMERY TUFF 24 EMERY TUFF 24
CURE & SEAL 30% H23KVIC
CURE & SEAL 30% H23KVIC 13 CURE & SEAL 30% J23UV 13 CURE & SEAL 309 JF 13 CURE & SEAL 309 JI8 13 CURE & SEAL 1315 EF 13 CURE & SEAL 1315 J22WB 13 CURE & SEAL 1315 J22WB 13 CURE & SEAL 1315 J22WB 13 CURE & SEAL V 25% J20UV 12 DENSIFIER CONCENTRATE J12 14 DISSOLVE IT 19 DOT RAPID REPAIR NEAT/PRE-EXTEND 22 DRI PAK PRECAST GROUT 19 ECONOLEVEL 24 EMERY NON-SLIP 24 EMERY TUFF 23 EMERY TUFF TOP 24 EPOXY GROUT J55 5 FERRO TUFF 24 EQUNV ADHESIVE 15 GREEN BEAN CLEAN 19
CURE & SEAL 30% H23KVIC 13 CURE & SEAL 30% J23UV 13 CURE & SEAL 309 JF 13 CURE & SEAL 309 JI8 13 CURE & SEAL 1315 EF 13 CURE & SEAL 1315 J22WB 13 CURE & SEAL 1315 J22WB 13 CURE & SEAL 1315 J22WB 13 CURE & SEAL V 25% J20UV 12 DENSIFIER CONCENTRATE J12 14 DISSOLVE IT 19 DOT RAPID REPAIR NEAT/PRE-EXTEND 22 DRI PAK PRECAST GROUT 19 ECONOLEVEL 24 EMERY NON-SLIP 24 EMERY TUFF 23 EMERY TUFF TOP 24 EPOXY GROUT J55 5 FERRO TUFF 24 EQUNV ADHESIVE 15 GREEN BEAN CLEAN 19
CURE & SEAL 30% H23KVIC 13 CURE & SEAL 30% J23UV 13 CURE & SEAL 309 JF 13 CURE & SEAL 309 JI8 13 CURE & SEAL 309 JI8 13 CURE & SEAL 309 JI8 13 CURE & SEAL 1315 EF 13 CURE & SEAL 1315 J22WB 13 CURE & SEAL LV 25% J20UV 12 DENSIFIER CONCENTRATE J12 14 DENSIFIER ONCENTRATE J12 14 DISSOLVE IT 19 DOT RAPID REPAIR NEAT/PRE-EXTEND 22 DRI PAK PRECAST GROUT 19 EARTH FRIENDLY 9 ECONOLEVEL 24 EMERY NON-SLIP 24 EMERY TUFF 23 EMERY TUFF TOP 24 EPOXY GROUT J55 5 FERRO TUFF 24 GLUDOWN ADHESIVE 15 GREEN BEAN CLEAN 19 GRIP AID 18
CURE & SEAL 30% H23KVIC 13 CURE & SEAL 30% J23UV 13 CURE & SEAL 309 JF 13 CURE & SEAL 1315 EF 13 CURE & SEAL 1315 J22WB 13 CURE & SEAL LV 25% J20UV 12 DENSIFIER CONCENTRATE J12 14 DISSOLVE IT 19 DOT RAPID REPAIR NEAT/PRE-EXTEND 22 DRI PAK PRECAST GROUT 19 EARTH FRIENDLY 9 ECONOLEVEL 24 EMERY NON-SLIP 24 EMERY TUFF 23 EMERY TUFF 24 EPOXY GROUT J55 5 FERRO TUFF 24 GUDOWN ADHESIVE 15 GREEN BEAN CLEAN 19 GRIP AID 18 HD 25 VO 23
CURE & SEAL 30% H23KVIC 13 CURE & SEAL 30% J23UV 13 CURE & SEAL 309 JF 13 CURE & SEAL 1315 EF 13 CURE & SEAL 1315 J22WB 13 CURE & SEAL LV 25% J20UV 12 DENSIFIER CONCENTRATE J12 14 DISSOLVE IT 19 DOT RAPID REPAIR NEAT/PRE-EXTEND 22 DRI PAK PRECAST GROUT 19 EARTH FRIENDLY 9 ECONOLEVEL 24 EMERY NON-SLIP 24 EMERY TUFF 23 EMERY TUFF 24 EPOXY GROUT J55 5 FERRO TUFF 24 GUDOWN ADHESIVE 15 GREEN BEAN CLEAN 19 GRIP AID 18 HD 25 VO 23
CURE & SEAL 30% H23KVIC. 13 CURE & SEAL 30% J23UV. 13 CURE & SEAL 309 JF 13 CURE & SEAL 309 JI8. 13 CURE & SEAL 1315 EF 13 CURE & SEAL 1315 J22WB 13 CURE & SEAL 1315 J22WB 13 CURE & SEAL 1315 J22WB 13 CURE & SEAL V 25% J20UV. 12 DENSIFIER J13 14 DISSOLVE IT 19 DOT RAPID REPAIR NEAT/PRE-EXTEND. 22 DRI PAK PRECAST GROUT 19 ECONOLEVEL 24 EMERY NON-SLIP 24 EMERY TUFF 23 EMERY TUFF 23 EMERY TUFF 5 FERRO TUFF. 24 GLUDOWN ADHESIVE 15 GREN BEAN CLEAN 19 GRIP AID 18 HD 25 VO 23 HD 50 22
CURE & SEAL 30% H23KVIC 13 CURE & SEAL 30% J23UV 13 CURE & SEAL 309 JF 13 CURE & SEAL 1315 EF 13 CURE & SEAL 1315 J22WB 13 CURE & SEAL LV 25% J20UV 12 DENSIFIER CONCENTRATE J12 14 DISSOLVE IT 19 DOT RAPID REPAIR NEAT/PRE-EXTEND 22 DRI PAK PRECAST GROUT 19 EARTH FRIENDLY 9 ECONOLEVEL 24 EMERY NON-SLIP 24 EMERY TUFF 23 EMERY TUFF 24 EPOXY GROUT J55 5 FERRO TUFF 24 GUDOWN ADHESIVE 15 GREEN BEAN CLEAN 19 GRIP AID 18 HD 25 VO 23
CURE & SEAL 30% H23KVIC. 13 CURE & SEAL 30% J23UV. 13 CURE & SEAL 309 JF 13 CURE & SEAL 309 JI8. 13 CURE & SEAL 1315 EF 13 CURE & SEAL 1315 J22WB 13 CURE & SEAL 1315 J22WB 13 CURE & SEAL LV 25% J20UV. 12 DENSIFIER CONCENTRATE J12 14 DISSOLVE IT 19 DOT RAPID REPAIR NEAT/PRE-EXTEND. 22 DRI PAK PRECAST GROUT 19 EARTH FRIENDLY. 9 ECONOLEVEL 24 EMERY TUFF 23 EMERY TUFF 23 EMERY TUFF 24 EMERY TUFF 24 GLUDOWN ADHESIVE 15 GREEN BEAN CLEAN 19 GRIP AID 18 HD 25 VO. 22 J1A. 9
CURE & SEAL 30% H23KVIC 13 CURE & SEAL 30% J23UV 13 CURE & SEAL 309 JF 13 CURE & SEAL 309 JF 13 CURE & SEAL 309 JF 13 CURE & SEAL 1315 EF 13 CURE & SEAL 1315 J22WB 13 CURE & SEAL 1315 J22WB 13 CURE & SEAL 1315 J22WB 14 DENSIFIER CONCENTRATE J12 14 DISSOLVE IT 19 DOT RAPID REPAIR NEAT/PRE-EXTEND 22 DRI PAK PRECAST GROUT 19 ECONOLEVEL 24 EMERY NON-SLIP 24 EMERY TUFF 23 EMERY TUFF TOP 24 EMERY TUFF 24 EMERY TUFF 24 EMERY TUFF 25 GREEN BEAN CLEAN 19 GRIP AID 18 HD 25 VO 23 HD 50 22 JIA 9 JIEF 10
CURE & SEAL 30% H23KVIC 13 CURE & SEAL 30% J23UV 13 CURE & SEAL 309 JF 13 CURE & SEAL 309 JF 13 CURE & SEAL 309 JF 13 CURE & SEAL 1315 EF 13 CURE & SEAL 1315 J22WB 13 CURE & SEAL 1315 J22WB 13 CURE & SEAL 1315 J22WB 14 DENSIFIER CONCENTRATE J12 14 DISSOLVE IT 19 DOT RAPID REPAIR NEAT/PRE-EXTEND 22 DRI PAK PRECAST GROUT 19 ECONOLEVEL 24 EMERY NON-SLIP 24 EMERY TUFF 23 EMERY TUFF TOP 24 EMERY TUFF 24 EMERY TUFF 24 EMERY TUFF 25 GREEN BEAN CLEAN 19 GRIP AID 18 HD 25 VO 23 HD 50 22 JIA 9 JIEF 10
CURE & SEAL 30% H23KVIC 13 CURE & SEAL 30% J23UV 13 CURE & SEAL 309 JF 13 CURE & SEAL 1315 EF 13 CURE & SEAL 1315 J22WB 13 CURE & SEAL LV 25% J20UV 12 DENSIFIER CONCENTRATE J12 14 DENSIFIER J13 14 DISSOLVE IT 19 DOT RAPID REPAIR NEAT/PRE-EXTEND 22 DRI PAK PRECAST GROUT 19 EARTH FRIENDLY 9 ECONOLEVEL 24 EMERY NON-SLIP 24 EMERY TUFF TOP 24 EMERY TUFF TOP 24 EDOXY GROUT J55 5 FERRO TUFF 24 GLUDOWN ADHESIVE 15 GREEN BEAN CLEAN 19 GRIP AID 18 HD 25 VO 23 HD 50 22 J1A
CURE & SEAL 30% H23KVIC 13 CURE & SEAL 30% J23V 13 CURE & SEAL 309 JF 13 CURE & SEAL 1315 EF 13 CURE & SEAL 1315 J22WB 13 CURE & SEAL LV 25% J20UV 12 DENSIFIER CONCENTRATE J12 14 DISSOLVE IT 19 DOT RAPID REPAIR NEAT/PRE-EXTEND 22 DRI PAK PRECAST GROUT 19 EARTH FRIENDLY 9 ECONOLEVEL 24 EMERY TUFF 23 EMERY TUFF TOP 24 EPOXY GROUT J55 5 FERRO TUFF 24 GLUDOWN ADHESIVE 15 GREN BEAN CLEAN 19 HD 25 VO 23 HD 25 VO 23 HD 50 22 J1A 9 J1EF 10 J2 9
CURE & SEAL 30% H23KVIC 13 CURE & SEAL 30% J23V 13 CURE & SEAL 309 JF 13 CURE & SEAL 1315 EF 13 CURE & SEAL 1315 J22WB 13 CURE & SEAL LV 25% J20UV 12 DENSIFIER CONCENTRATE J12 14 DISSOLVE IT 19 DOT RAPID REPAIR NEAT/PRE-EXTEND 22 DRI PAK PRECAST GROUT 19 EARTH FRIENDLY 9 ECONOLEVEL 24 EMERY TUFF 23 EMERY TUFF TOP 24 EPOXY GROUT J55 5 FERRO TUFF 24 GLUDOWN ADHESIVE 15 GREN BEAN CLEAN 19 HD 25 VO 23 HD 25 VO 23 HD 50 22 J1A 9 J1EF 10 J2 9
CURE & SEAL 30% H23KVIC. 13 CURE & SEAL 30% J23UV. 13 CURE & SEAL 309 JF. 13 CURE & SEAL 309 JF. 13 CURE & SEAL 309 JF. 13 CURE & SEAL 1315 EF. 13 CURE & SEAL 1315 J22WB 13 CURE & SEAL 1315 J22WB 13 CURE & SEAL V25% J20UV. 12 DENSIFIER CONCENTRATE J12 14 DISSOLVE IT 19 DOT RAPID REPAIR NEAT/PRE-EXTEND. 22 DRI PAK PRECAST GROUT 19 ECONOLEVEL 24 EMERY NON-SLIP. 24 EMERY TUFF 23 EMERY TUFF TOP. 24 EMERY TUFF TOP. 24 EUDOWN ADHESIVE 15 GREEN BEAN CLEAN 19 GRIP AID 18 HD 25 VO. 23 J1EF 10 J2 9 J3 9 J6D 15
CURE & SEAL 30% H23KVIC 13 CURE & SEAL 30% J23V 13 CURE & SEAL 309 JF 13 CURE & SEAL 1315 EF 13 CURE & SEAL 1315 J22WB 13 CURE & SEAL LV 25% J20UV 12 DENSIFIER CONCENTRATE J12 14 DISSOLVE IT 19 DOT RAPID REPAIR NEAT/PRE-EXTEND 22 DRI PAK PRECAST GROUT 19 EARTH FRIENDLY 9 ECONOLEVEL 24 EMERY TUFF 23 EMERY TUFF TOP 24 EPOXY GROUT J55 5 FERRO TUFF 24 GLUDOWN ADHESIVE 15 GREN BEAN CLEAN 19 HD 25 VO 23 HD 25 VO 23 HD 50 22 J1A 9 J1EF 10 J2 9

J7WB		PROFILL AW	
J8		PROPATCH VO	
J9A		PROPOLY CR	
110W	10	PRO-POXY 204	
11W	12	PRO-POXY P606	5
11WD	12	PRO-POXY 2000 DEEP POUR	6
12	14	PRO-POXY HIGH GLOSS SEALER	18
13	14	PRO-POXY TYPE III DOT	
14	12 14	PURE PRO ZERO	10
17		PVA BONDING AGENT J41	
18		Q-SET	
20LVOC		QUARTZ TUFF	
20UV		RAPID RESIN REPAIR	
		REBAR SPRAY J62	
22UV			
22WB		RECRETE 5 MINUTE	
23UV		RECRETE 20 MINUTE	
25		RECRETE LIGHT 20 MINUTE	
25S		RESIN CURE WITH DYE J11WD	
25LVOC	17	SLEEVE-LOCK GROUT	
26WB	18	SPECIAL PATCH	22
29	18	SUPERIOR BOND-ALL	
29A		SPRAY-PRO SPRAYER	
33		SURE ANCHOR I J51	
35		SURE ANCHOR J50	
35LVOC		SURE BOND J58	
35S		SURE FIL J52	
40		SURE FINISH	
41		SURE-GRIP HIGH PERFORMANCE GROUT	
42		SURE-GRIP PRECISION GROUT	
42RTU		SURE HARD DENSIFIER J17	
48		SURE LIFT J6WB	
49	19	SURE LIFT WITH DYE J6D	15
50	4	SURE PATCH	5
51	4	SURE SEAL HMWM	ī
51AW		THIN RESURFACER	22
52		TOP-CAST CS 400 CURE AND SEAL	
55		TOP-CAST DECORATIVE FINISH SYS	
58		TOP-CAST EX 200 WASH OFF EXT.	
62		TOP-CAST HG 500 HIGH GLOSS SEAL	
02 74		TOP-CAST PR 300 PENETRATING PROT	
74RTU		TOP-CAST SS-100 SITE SAVER	
		TOP-CAST SURFACE RETARDER	
C WHITE ACRYLIC 25%		TUF SEAL J35	
EVELAYER		TUF SEAL J35 LVOC	
EVEL PRIMER J42		TUF SEAL J35 LVOC SATIN	
EVEL PRIMER J42RTU		TUF SEAL SATIN J35S	
EVEL TOPPING		TURBO GROUT HP12	
EVEL TOPPING EXTERIOR	25	TURBO GROUT LT12	20
AGIC KOTE		TYPE III DOT	
AXI TILT WITH DYE		ULTRA SEAL EF	
AVE PATCH 3000		UNDERLAYMENT TOOLS	
ENTRA-HARD DENSIFIER		UNDERWATER GROUT	
ENTRA-HARD FINISH		WATERSTOP	
ENTRA-HARD FINISH		WATERSTOP WEATHER WORKER 10% J26WB	
ERMA PATCH FP		WEATHER WORKER 40% J29	
ERMA PATCH VO		WEATHER WORKER 100% J29A	
OLYFAST FS		WHITE RESIN CURE J10W	
OXY-CHOCK		WHITE WAX CURE CRD300	
ROANCHOR ELITE	4	WHITE WAX CURE J9A	12
ROANCHOR SELECT		ZERO VOC J49 CLEANER	
ROANCHOR WEATHERMAX			



28

29

29 29

30 29

.30 .27

.28

PRO-POXY 50.

PRO-POXY 100.

PRO-POXY 200.

PRO-POXY P606.

PRO-POXY 2000.

PRO-POXY 204 PRO-POXY 300

PRO-POXY 300 FAST

PRO-POXY 400.....

1315	
BRIGHT ROCK SEALER	
CITRUS CLEANER	
FARM FRESH XL	
HYDRAULIC CEMENT	
HYDROSEAL 18	
MULTIPURPOSE GROUT	
PRO-FLEX	
PRO-POXY 40 I V/I M	

UNITEX PRODUCT INDEX

 PRO-POXY 2000 DEEP POUR PRO-POXY 2500 PRO-POXY AWP PRO-POXY HIGH GLOSS SEALER PRO-POXY TYPE III DOT Q2 Q2 VOC SLOW SET BONDING AGENT SOLVENT SEAL 1315





27

27

29

29

26

29



1125 Byers Road Miamisburg, OH 45342 937-866-0711 888-977-9600 WWW.DAYTONSUPERIOR.COM

BUILDING STRENGTH

DS16 REV 06/21 Copyright © 2016 Dayton Superior Corporation, All Rights Reserved.